

10 特定健康診査 ・特定保健指導

1) 特定健康診査の状況

【七尾市】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
対象者数	10,602	10,196	9,633	9,213	8,926	8,773	8,633	8,270	7,740	7,225
特定健康診 受診者数	4,909	4,774	4,484	4,204	4,011	3,740	3,065	3,089	2,950	2,748
受診率	46.3%	46.8%	46.5%	45.6%	44.9%	42.6%	35.5%	37.4%	38.1%	38.0%
評価対象者	4,918	4,777	4,486	4,204	4,020	3,740	3,065	3,089	2,950	2,748
特定保健指導 対象者	544	536	511	492	437	416	338	351	334	334
率	11.1%	11.2%	11.4%	11.7%	10.9%	11.1%	11.0%	11.4%	11.3%	12.2%
利用者	415	418	392	393	356	350	303	313	277	265
率	76.3%	78.0%	76.7%	79.9%	81.5%	84.1%	89.6%	89.2%	82.9%	79.3%
終了者	378	377	372	369	319	314	292	296	232	183
実施率	69.5%	70.3%	72.8%	75.0%	73.0%	75.5%	86.4%	84.3%	69.5%	54.8%

2) 特定保健指導の状況(積極的支援)

【七尾市】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度	
評価対象者		4,918	4,777	4,486	4,204	4,020	3,740	3,065	3,089	2,950	2,748	
積極的支援	対象者	132	144	114	114	85	88	68	70	73	73	
	率	2.7%	3.0%	2.5%	2.7%	2.1%	2.4%	2.2%	2.3%	2.5%	2.7%	
	利用者 終了者	人数	100	104	82	75	66	69	56	56	49	50
		率	75.8%	72.2%	71.9%	65.8%	77.6%	78.4%	82.4%	80.0%	67.1%	68.5%
	中断者	人数	64	65	62	52	29	43	48	47	22	8
		率	48.5%	45.1%	54.4%	45.6%	34.1%	48.9%	70.6%	67.1%	30.1%	11.0%
	服薬除外者	36.0%	37.5%	24.4%	30.7%	56.1%	37.7%	14.3%	16.1%	55.1%	84.0%	
		246	223	184	190	180	162	121	143	130	110	

【石川県】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
対象者数	191,883	187,308	179,102	172,774	166,049	161,690	160,547	155,265	144,501	135,593
特定健康診 受診者数	83,009	83,865	80,701	78,819	76,571	76,053	64,480	65,236	61,733	59,410
受診率	43.3%	44.8%	45.1%	45.6%	46.1%	47.0%	40.2%	42.0%	42.7%	43.8%
評価対象者	83,029	83,872	80,707	78,854	76,589	76,070	64,492	65,263	61,746	59,423
特定保健指導 対象者	8,491	8,597	8,323	8,154	7,886	7,645	6,496	6,708	6,303	6,185
率	10.2%	10.3%	10.3%	10.3%	10.3%	10.0%	10.1%	10.3%	10.2%	10.4%
利用者	4786	5119	5057	4973	4940	4594	3296	3451	3455	3372
率	56.4%	59.5%	60.8%	61.0%	62.6%	60.1%	50.7%	51.4%	54.8%	54.5%
終了者	4441	4704	4728	4628	4560	4230	3032	3086	3048	2871
実施率	52.3%	54.7%	56.8%	56.8%	57.8%	55.3%	46.7%	46.0%	48.4%	46.4%

※石川県の数は市町国保の合計とする。

【石川県】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度	
評価対象者		83,029	83,872	80,707	78,854	76,589	76,070	64,492	65,263	61,746	59,423	
積極的支援	対象者	2,014	1,943	1,833	1,736	1,645	1,600	1,295	1,425	1,354	1,405	
	率	2.4%	2.3%	2.3%	2.2%	2.1%	2.1%	2.0%	2.2%	2.2%	2.4%	
	利用者	人数	1,011	980	945	855	827	783	574	613	620	614
		率	50.2%	50.4%	51.6%	49.3%	50.3%	48.9%	44.3%	43.0%	45.8%	43.7%
	終了者	人数	676	609	633	528	481	485	389	375	360	299
		率	33.6%	31.3%	34.5%	30.4%	29.2%	30.3%	30.0%	26.3%	26.6%	21.3%
	中断者	33.1%	37.9%	33.0%	38.2%	41.8%	38.1%	32.2%	38.8%	41.9%	51.3%	
	服薬除外者	3,149	3,067	2,985	2,895	2,760	2,835	2,386	2,349	2,413	2,331	

※石川県の数は市町国保の合計とする。

3) 特定保健指導の状況(動機付け支援) 【七尾市】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価対象者		4,918	4,777	4,486	4,204	4,020	3,740	3,065	3,089	2,950	2,748
動機付け支援	対象者	412	392	397	378	352	328	270	281	261	261
	率	8.4%	8.2%	8.8%	9.0%	8.8%	8.8%	8.8%	9.1%	8.8%	9.5%
	利用者	人数	315	314	310	318	290	281	247	228	215
	利用者	率	76.5%	80.1%	78.1%	84.1%	82.4%	85.7%	91.5%	91.5%	82.4%
	終了者	人数	314	312	310	317	290	271	244	210	175
	終了者	率	76.2%	79.6%	78.1%	83.9%	82.4%	82.6%	90.4%	88.6%	67.0%
	中断者	0.3%	0.6%	0.0%	0.3%	0.0%	3.6%	1.2%	3.1%	7.9%	18.6%
服薬除外者		1,050	1,045	1,013	993	970	933	833	816	758	685

4) 内臓脂肪症候群・服薬に関する状況 【七尾市】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価対象者		4,918	4,777	4,486	4,204	4,020	3,740	3,065	3,089	2,950	2,748
内臓脂肪症候群	人数	991	990	951	927	890	850	805	796	727	680
	率	20.2%	20.7%	21.2%	22.1%	22.1%	22.7%	26.3%	25.8%	24.6%	24.7%
内臓脂肪症候群予備群	人数	519	499	460	456	442	392	293	342	317	299
	率	10.6%	10.4%	10.3%	10.8%	11.0%	10.5%	9.6%	11.1%	10.7%	10.9%
高血圧症の治療	人数	1,949	1,865	1,756	1,698	1,627	1,507	1,305	1,263	1,207	1,102
	率	39.6%	39.0%	39.1%	40.4%	40.5%	40.3%	42.6%	40.9%	40.9%	40.1%
脂質異常症の治療	人数	1,439	1,404	1,333	1,270	1,258	1,191	1,015	998	964	866
	率	29.3%	29.4%	29.7%	30.2%	31.3%	31.8%	33.1%	32.3%	32.7%	31.5%
糖尿病の治療	人数	512	515	470	451	478	433	395	375	371	329
	率	10.4%	10.8%	10.5%	10.7%	11.9%	11.6%	12.9%	12.1%	12.6%	12.0%

【石川県】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価対象者		83,029	83,872	80,707	78,854	76,589	76,070	64,492	65,263	61,746	59,423
動機付け支援	対象者	6,477	6,654	6,490	6,418	6,241	6,045	5,201	5,283	4,949	4,780
	率	7.8%	7.9%	8.0%	8.1%	8.1%	7.9%	8.1%	8.1%	8.0%	8.0%
	利用者	人数	3,775	4,139	4,112	4,118	4,113	3,811	2,722	2,838	2,758
	利用者	率	58.3%	62.2%	63.4%	64.2%	65.9%	63.0%	52.3%	53.7%	57.3%
	終了者	人数	3,765	4,095	4,095	4,100	4,079	3,745	2,643	2,711	2,688
	終了者	率	58.1%	61.5%	63.1%	63.9%	65.4%	62.0%	50.8%	51.3%	54.3%
	中断者	0.3%	1.1%	0.4%	0.4%	0.8%	1.7%	2.9%	4.5%	5.2%	6.7%
服薬除外者		16,392	16,901	16,849	16,952	17,072	17,947	16,821	16,121	15,015	13,944

※石川県の数は市町国保の合計とする。

【石川県】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価対象者		83,029	83,872	80,707	78,854	76,589	76,070	64,492	65,263	61,746	59,423
内臓脂肪症候群	人数	15,315	15,804	15,799	15,896	15,847	16,518	15,629	15,037	14,194	13,606
	率	18.4%	18.8%	19.6%	20.2%	20.7%	21.7%	24.2%	23.0%	23.0%	22.9%
内臓脂肪症候群予備群	人数	8,505	8,515	8,267	8,114	8,016	8,096	6,910	7,111	6,607	6,303
	率	10.2%	10.2%	10.2%	10.3%	10.5%	10.6%	10.7%	10.9%	10.7%	10.6%
高血圧症の治療	人数	31,399	31,788	30,879	30,222	29,540	29,944	26,998	25,988	24,538	22,718
	率	37.8%	37.9%	38.3%	38.3%	38.6%	39.4%	41.9%	39.8%	39.7%	38.2%
脂質異常症の治療	人数	23,652	24,206	23,788	23,392	23,296	23,785	21,778	21,259	20,369	18,969
	率	28.5%	28.9%	29.5%	29.7%	30.4%	31.3%	33.8%	32.6%	33.0%	31.9%
糖尿病の治療	人数	7,590	7,902	7,657	7,863	7,986	8,224	7,381	7,118	6,757	6,201
	率	9.1%	9.4%	9.5%	10.0%	10.4%	10.8%	11.4%	10.9%	10.9%	10.4%

※石川県の数は市町国保の合計とする。

5) 特定健康診査
【七尾市】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数	5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950	2,748
腹囲 男性85cm以上 女性90cm以上 または BMI 25以上	2,023	1,969	1,894	1,798	1,740	1,638	1,394	1,428	1,475	1,196
(%)	39.9%	40.1%	40.7%	41.7%	42.1%	42.7%	44.4%	45.1%	50.0%	43.5%
腹 囲	男性:85cm未満 女性:90cm未満	3,374	3,253	3,039	2,775	2,641	2,450	1,933	1,911	1,840
	(%)	66.6%	66.3%	65.3%	64.4%	63.9%	63.9%	61.5%	60.4%	61.5%
	男性:85cm以上 女性:90cm以上	1,683	1,645	1,604	1,535	1,488	1,380	1,208	1,110	1,056
	(%)	33.2%	33.5%	34.5%	35.6%	36.0%	36.0%	38.5%	39.5%	37.6%
	実施せず	12	8	9	1	5	3	0	3	1
	(%)	0.2%	0.2%	0.2%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%
B M I	18.5未満	288	282	257	249	207	165	192	187	209
	(%)	5.7%	5.7%	5.5%	5.8%	5.0%	5.4%	5.3%	6.1%	7.6%
	18.5～25未満	3,313	3,206	3,043	2,752	2,683	2,446	1,982	1,843	1,696
	(%)	65.4%	65.3%	65.4%	63.8%	64.9%	63.8%	63.1%	62.5%	61.7%
	25以上	1,462	1,413	1,349	1,309	1,242	1,178	994	1,000	920
	(%)	28.8%	28.8%	29.0%	30.4%	30.0%	30.7%	31.6%	31.2%	30.7%
	実施せず	6	5	3	1	2	2	0	3	0
	(%)	0.1%	0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
血 圧	異常なし ～129 and ～84	2,378	2,583	2,460	2,222	2,129	1,999	1,404	1,471	1,388
	(%)	54.0%	52.6%	52.9%	51.5%	51.5%	52.2%	44.7%	46.5%	47.1%
	保健指導判定 130～139 or 85～89	1,066	993	947	946	937	891	808	724	671
	(%)	21.0%	20.2%	20.4%	21.9%	22.7%	23.2%	25.7%	22.9%	24.4%
	受診勧奨判定 140～ or 90～	1,254	1,323	1,242	1,142	1,064	941	929	966	837
	(%)	24.7%	27.0%	26.7%	26.5%	25.7%	24.5%	29.6%	30.5%	28.4%
	不明・検査せず	11	7	3	1	4	2	0	3	0
	(%)	0.2%	0.1%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
中 性 脂 肪	異常なし ～149	3,865	3,711	3,485	3,192	3,073	2,813	2,223	2,144	2,018
	(%)	76.2%	75.6%	74.9%	74.0%	74.3%	73.4%	70.8%	71.0%	72.7%
	保健指導判定 150～299	1,055	1,047	1,019	976	927	887	788	805	643
	(%)	20.8%	21.3%	21.9%	22.6%	22.4%	23.1%	25.1%	25.4%	23.4%
	受診勧奨判定 300～	147	148	147	143	130	132	130	112	87
	(%)	2.9%	3.0%	3.2%	3.3%	3.1%	3.4%	4.1%	3.5%	3.2%
	不明・検査せず	2	0	1	0	4	1	0	1	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

資料: 石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数	85,920	86,800	83,790	81,397	79,277	78,440	66,601	67,517	61,733	59,410
腹囲 男性85cm以上 女性90cm以上 または BMI 25以上	31,555	32,027	31,569	31,041	30,192	31,505	28,194	27,854	29,823	24,019
(%)	36.7%	36.9%	37.7%	38.1%	38.1%	40.2%	42.3%	41.3%	48.3%	40.4%
腹 囲	男性:85cm未満 女性:90cm未満	58,527	58,851	56,124	54,127	52,993	50,496	41,406	42,571	39,074
	(%)	68.1%	67.8%	67.0%	66.5%	66.8%	64.4%	62.2%	63.1%	63.4%
	男性:85cm以上 女性:90cm以上	27,360	27,930	27,643	27,251	26,268	27,925	25,192	24,930	22,658
	(%)	31.8%	32.2%	33.0%	33.5%	33.1%	35.6%	37.8%	36.9%	36.7%
	実施せず	33	19	23	19	16	19	3	16	1
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
B M I	18.5未満	5,927	6,065	5,890	5,641	5,612	5,624	4,597	5,060	4,917
	(%)	6.9%	7.0%	7.0%	6.9%	7.1%	7.2%	6.9%	7.5%	8.6%
	18.5～25未満	59,183	59,519	56,981	54,989	53,097	51,845	43,327	44,023	39,985
	(%)	68.9%	68.6%	68.0%	67.6%	67.0%	66.1%	65.1%	65.2%	64.7%
	25以上	20,792	21,209	20,852	20,758	20,560	20,961	18,669	18,426	15,883
	(%)	24.2%	24.4%	24.9%	25.5%	25.9%	26.7%	28.0%	27.3%	26.7%
	実施せず	19	7	7	9	8	10	8	8	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
血 圧	異常なし ～129 and ～84	46,619	47,069	45,394	43,411	42,473	42,189	32,506	33,769	31,381
	(%)	54.3%	54.2%	54.2%	53.3%	53.6%	53.8%	48.8%	50.0%	50.8%
	保健指導判定 130～139 or 85～89	19,567	19,677	18,828	18,502	18,057	17,971	16,410	16,192	14,618
	(%)	22.8%	22.7%	22.5%	22.7%	22.8%	22.9%	24.6%	24.0%	23.7%
	受診勧奨判定 140～ or 90～	19,713	20,046	19,560	19,470	18,741	18,272	17,682	17,545	15,734
	(%)	22.9%	23.1%	23.3%	23.9%	23.6%	23.3%	26.5%	26.0%	25.5%
	不明・検査せず	21	8	8	14	6	8	3	11	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中 性 脂 肪	異常なし ～149	65,488	66,489	64,002	61,679	60,421	59,631	49,010	50,672	46,342
	(%)	76.2%	76.6%	76.4%	75.8%	76.2%	76.0%	73.6%	75.1%	75.1%
	保健指導判定 150～299	17,842	17,714	17,253	17,194	16,426	16,357	15,155	14,578	13,438
	(%)	20.8%	20.4%	20.6%	21.1%	20.7%	20.9%	22.8%	21.6%	21.6%
	受診勧奨判定 300～	2,578	2,595	2,527	2,519	2,425	2,447	2,432	2,262	1,953
	(%)	3.0%	3.0%	3.0%	3.1%	3.1%	3.1%	3.7%	3.4%	3.2%
	不明・検査せず	12	2	8	5	5	5	4	5	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

5) 特定健康診査

【七尾市】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数	5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950	2,748
HDLコレステロール	異常なし 40～	4,722	4,568	4,333	4,019	3,878	3,613	2,937	2,990	2,810
	(%)	93.2%	93.1%	93.1%	93.2%	93.8%	94.3%	93.5%	94.5%	95.3%
	保健指導判定 35～39	256	253	249	231	184	177	159	130	105
	(%)	5.1%	5.2%	5.4%	5.4%	4.5%	4.6%	5.1%	4.1%	3.6%
	受診勧奨判定 ～34	89	84	69	61	65	42	45	43	35
	(%)	1.8%	1.7%	1.5%	1.4%	1.6%	1.1%	1.4%	1.4%	1.2%
	不明・検査せず	2	1	1	0	7	1	0	1	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
LDLコレステロール	異常なし ～119	2,708	2,683	2,618	2,526	2,331	2,134	1,778	1,782	1,664
	(%)	53.4%	54.7%	56.3%	58.6%	56.4%	55.7%	56.6%	56.3%	56.4%
	保健指導判定 120～139	1,150	1,136	1,042	915	958	904	736	765	688
	(%)	22.7%	23.2%	22.4%	21.2%	23.2%	23.4%	24.2%	23.3%	23.4%
	受診勧奨判定 ～140	1,210	1,084	992	870	833	785	622	609	575
	(%)	23.9%	22.1%	21.3%	20.2%	20.1%	20.5%	19.8%	19.2%	19.5%
	不明・検査せず	1	3	0	0	12	10	5	8	23
	(%)	0.0%	0.1%	0.0%	0.0%	0.3%	0.3%	0.2%	0.3%	0.8%
AST (GOT)	異常なし 8～30	4,421	4,222	4,045	3,710	3,614	3,406	2,716	2,778	2,561
	(%)	87.2%	86.1%	87.0%	86.1%	87.4%	88.9%	86.5%	87.8%	86.8%
	保健指導判定 31～50	543	573	523	512	437	363	363	334	339
	(%)	10.7%	11.7%	11.2%	11.9%	10.6%	9.5%	11.6%	10.6%	11.5%
	受診勧奨判定 51～	104	111	84	89	82	64	62	50	63
	(%)	2.1%	2.3%	1.8%	2.1%	2.0%	1.7%	2.0%	1.6%	1.7%
	不明・検査せず	1	0	0	0	1	0	0	0	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ALT (GPT)	異常なし 5～30	4,424	4,198	4,019	3,690	3,569	3,321	2,649	2,693	2,539
	(%)	87.3%	85.6%	86.4%	85.6%	86.3%	86.6%	84.3%	85.1%	86.1%
	保健指導判定 31～50	477	526	487	480	426	393	372	355	308
	(%)	9.4%	10.7%	10.5%	11.1%	10.3%	10.3%	11.8%	11.2%	10.4%
	受診勧奨判定 51～	166	182	146	141	138	119	120	116	103
	(%)	3.3%	3.7%	3.1%	3.3%	3.3%	3.1%	3.8%	3.7%	3.5%
	不明・検査せず	2	0	0	0	1	0	0	0	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

【石川県】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数	85,920	86,800	83,790	81,397	79,277	78,440	66,601	67,517	61,733	59,410
HDLコレステロール	異常なし 40～	80,685	81,583	78,454	76,643	74,946	74,147	62,725	63,998	58,632
	(%)	93.9%	94.0%	93.6%	94.2%	94.5%	94.5%	94.2%	94.8%	95.0%
	保健指導判定 35～39	4,001	3,920	4,038	3,632	3,307	3,277	2,965	2,446	2,453
	(%)	4.7%	4.5%	4.8%	4.5%	4.2%	4.2%	4.5%	3.6%	4.0%
	受診勧奨判定 ～34	1,224	1,294	1,287	1,115	1,016	1,005	905	1,062	648
	(%)	1.4%	1.5%	1.5%	1.4%	1.3%	1.3%	1.4%	1.6%	1.0%
	不明・検査せず	10	3	11	7	8	11	6	11	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
LDLコレステロール	異常なし ～119	43,111	44,849	44,908	44,319	41,843	40,891	35,968	36,832	34,488
	(%)	50.2%	51.7%	53.6%	54.4%	52.8%	52.1%	54.0%	54.6%	55.9%
	保健指導判定 120～139	20,818	21,080	20,232	19,361	18,973	19,009	15,853	16,091	14,539
	(%)	24.2%	24.3%	24.1%	23.8%	23.9%	24.2%	23.8%	23.8%	23.6%
	受診勧奨判定 ～140	21,979	20,866	18,638	17,706	18,401	18,441	14,621	14,448	12,581
	(%)	25.6%	24.0%	22.2%	21.8%	23.2%	23.5%	22.0%	21.4%	20.4%
	不明・検査せず	12	5	7165	11	59	99	159	146	125
	(%)	0.0%	0.0%	8.6%	0.0%	0.1%	0.1%	0.2%	0.2%	0.2%
AST (GOT)	異常なし 8～30	74,912	76,002	73,419	70,860	69,376	68,639	57,438	58,267	53,980
	(%)	87.2%	87.6%	87.6%	87.1%	87.5%	87.5%	86.2%	86.3%	87.4%
	保健指導判定 31～50	9,261	9,032	8,672	8,851	8,232	8,146	7,520	7,602	6,420
	(%)	10.8%	10.4%	10.3%	10.9%	10.4%	10.4%	11.3%	11.3%	10.4%
	受診勧奨判定 51～	1,743	1,765	1,696	1,682	1,666	1,653	1,641	1,645	1,333
	(%)	2.0%	2.0%	2.0%	2.1%	2.1%	2.1%	2.5%	2.4%	2.2%
	不明・検査せず	4	1	3	4	3	2	2	3	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ALT (GPT)	異常なし 5～30	74,142	74,539	72,323	69,704	67,742	66,965	55,882	56,975	52,687
	(%)	86.3%	85.9%	86.3%	85.6%	85.4%	85.4%	83.9%	84.4%	85.3%
	保健指導判定 31～50	8,941	9,294	8,627	8,834	8,626	8,610	7,894	7,695	6,641
	(%)	10.4%	10.7%	10.3%	10.9%	10.9%	11.0%	11.9%	11.4%	10.8%
	受診勧奨判定 51～	2,832	2,966	2,837	2,855	2,906	2,863	2,823	2,844	2,405
	(%)	3.3%	3.4%	3.4%	3.5%	3.7%	3.6%	4.2%	4.2%	3.9%
	不明・検査せず	5	1	3	4	3	2	2	3	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

5) 特定健康診査

【七尾市】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数	5,059	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950	2,748
γ-GT (GTP)	異常なし ～50	4,315	4,168	3,961	3,651	3,546	3,279	2,695	2,716	2,550
	(%)	85.1%	85.0%	85.1%	84.7%	85.8%	85.5%	85.8%	86.4%	85.3%
	保健指導判定 51～100	521	505	470	462	418	405	322	323	285
	(%)	10.3%	10.3%	10.1%	10.7%	10.1%	10.6%	10.3%	10.2%	9.7%
	受診勧奨判定 101～	231	230	220	198	168	149	124	115	111
	(%)	4.6%	4.7%	4.7%	4.6%	4.1%	3.9%	3.9%	4.0%	3.9%
血糖値・ヘモグロビンA1c	不明・検査せず	2	3	1	0	2	0	0	0	0
	(%)	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	異常なし 空腹・随時血糖値100未満 またはHbA1c5.6未満	2,729	2,524	2,287	1,955	1,980	1,803	1,429	1,358	1,251
	(%)	53.8%	51.4%	49.2%	45.3%	47.9%	47.0%	45.5%	46.0%	45.5%
	保健指導判定 空腹・随時血糖値100以上～ 126未満 またはHbA1c5.6以上6.5未満	1,930	1,933	1,945	1,938	1,734	1,669	1,371	1,299	1,211
	(%)	38.1%	39.4%	41.8%	45.0%	41.9%	43.5%	43.6%	44.0%	44.1%
尿検査(糖)	受診勧奨判定 空腹・随時血糖値126以上 またはHbA1c6.5以上	401	433	414	417	417	359	341	293	286
	(%)	7.9%	8.8%	8.9%	9.7%	10.1%	9.4%	10.9%	9.8%	10.4%
	不明・検査せず	9	16	6	1	3	2	0	1	0
	(%)	0.2%	0.3%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%
	(一)(±)	4,827	4,728	4,441	4,083	3,899	3,585	2,890	2,758	2,537
	(%)	95.2%	96.4%	95.5%	94.7%	94.3%	93.5%	92.0%	92.1%	93.5%
尿検査(蛋白)	(+)以上	230	173	206	226	224	230	245	244	188
	(%)	4.5%	3.5%	4.4%	5.2%	5.4%	6.0%	7.8%	7.7%	6.4%
	不明・検査せず	12	5	5	2	11	18	6	6	4
	(%)	0.2%	0.1%	0.1%	0.0%	0.3%	0.5%	0.2%	0.2%	0.1%
	(一)(±)	4,772	4,652	4,393	4,070	3,874	3,573	2,975	2,998	2,725
	(%)	94.1%	94.8%	94.4%	94.4%	93.7%	93.2%	94.7%	94.8%	92.4%
尿検査(蛋白)	(+)以上	284	248	253	239	249	242	160	160	221
	(%)	5.6%	5.1%	5.4%	5.5%	6.0%	6.3%	5.1%	5.1%	7.5%
	不明・検査せず	13	6	6	2	11	18	6	6	4
	(%)	0.3%	0.1%	0.1%	0.0%	0.3%	0.5%	0.2%	0.2%	0.1%

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

* 空腹時血糖があるものは空腹時血糖の値で判定、空腹時血糖が無く、HbA1cがあるものはHbA1c

空腹時血糖もHbA1cもないもので、随時血糖があるものは随時血糖で判定

資料：石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数	85,920	86,800	83,790	81,397	79,277	78,440	66,601	67,517	61,733	59,410
γ-GT (GTP)	異常なし ～50	72,503	73,384	71,016	68,929	67,114	66,360	57,200	52,582	50,551
	(%)	84.4%	84.5%	84.8%	84.7%	84.7%	84.6%	84.5%	84.7%	85.2%
	保健指導判定 51～100	9,256	9,368	8,943	8,734	8,472	8,381	7,087	6,352	6,094
	(%)	10.8%	10.8%	10.7%	10.7%	10.7%	10.6%	10.6%	10.3%	10.3%
	受診勧奨判定 101～	4,155	4,043	3,827	3,731	3,685	3,696	3,204	2,799	2,765
	(%)	4.8%	4.7%	4.6%	4.6%	4.6%	4.7%	4.8%	4.7%	4.5%
血糖値・ヘモグロビンA1c	不明・検査せず	6	5	4	3	6	3	3	4	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	異常なし 空腹・随時血糖値100未満 またはHbA1c5.6未満	51,570	49,996	46,776	44,315	42,623	42,507	34,348	37,140	30,743
	(%)	60.0%	57.6%	55.8%	54.4%	53.8%	54.2%	51.6%	55.0%	51.7%
	保健指導判定 空腹・随時血糖値100以上～ 126未満 またはHbA1c5.6以上6.5未満	28,191	30,152	30,234	30,035	29,580	28,677	25,409	24,107	23,055
	(%)	32.8%	34.7%	36.1%	36.9%	37.3%	36.6%	38.2%	35.7%	37.4%
尿検査(糖)	受診勧奨判定 空腹・随時血糖値126以上 またはHbA1c6.5以上	6,140	6,633	6,673	7,035	7,070	7,247	6,837	6,260	5,612
	(%)	7.1%	7.6%	8.0%	8.6%	8.9%	9.2%	10.3%	9.3%	9.4%
	不明・検査せず	19	19	0	12	4	9	7	10	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	(一)(±)	82,806	83,578	80,577	77,806	75,503	73,864	62,229	63,084	58,149
	(%)	96.4%	96.3%	96.2%	95.6%	95.2%	94.2%	93.4%	93.4%	94.2%
尿検査(蛋白)	(+)以上	2,991	3,129	3,129	3,517	3,686	4,464	4,271	4,297	3,512
	(%)	3.5%	3.6%	3.7%	4.3%	4.6%	5.7%	6.4%	6.4%	5.7%
	不明・検査せず	123	93	84	74	88	112	101	136	72
	(%)	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%	0.2%	0.2%	0.1%
	(一)(±)	81,697	82,536	79,626	76,997	74,882	74,215	62,696	63,787	57,644
	(%)	95.1%	95.1%	95.0%	94.6%	94.5%	94.6%	94.1%	94.5%	93.4%
尿検査(蛋白)	(+)以上	4,093	4,171	4,074	4,324	4,311	4,111	3,794	3,594	4,014
	(%)	4.8%	4.8%	4.9%	5.3%	5.4%	5.2%	5.7%	5.3%	6.5%
	不明・検査せず	130	93	90	76	84	114	111	136	75
	(%)	0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%	0.2%	0.1%

5) 特定健康診査

【七尾市】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数		5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950	2,748
クレアチニン	検査実施者数	5,009	4,864	4,603	4,274	4,096	3,805	3,123	3,145	2,950	2,748
	(%)	98.8%	99.1%	98.9%	99.1%	99.1%	99.3%	99.4%	99.4%	100.0%	100.0%
	異常なし 男性 $\leq 1.2\text{mg/dl}$ 女性 $\leq 1.0\text{mg/dl}$	4,957	4,819	4,545	4,220	4,055	3,754	3,081	3,110	2,921	2,705
	(%)	99.0%	99.1%	98.7%	98.7%	99.0%	98.7%	98.7%	98.9%	99.0%	98.4%
	要医療 男性 $1.2\text{mg/dl} <$ 女性 $1.0\text{mg/dl} <$	52	45	58	54	41	51	42	35	29	43
	(%)	1.0%	0.9%	1.3%	1.3%	1.0%	1.3%	1.3%	1.1%	1.0%	1.6%
推算糸球体濾過量	検査実施者数	4,851	4,703	4,437	4,272	3,969	3,713	3,123	2,834	2,649	2,469
	(%)	98.8%	98.5%	99.0%	99.1%	96.0%	96.9%	99.4%	89.6%	89.8%	89.8%
	ジス 21 テ ・ ー	60ml/min/1.73m ² 以上 尿蛋白ー	3,837	3,770	3,356	3,249	2,938	2,709	2,294	2,097	1,944
		(%)	79.1%	80.2%	75.6%	76.1%	74.0%	73.5%	74.0%	73.4%	71.8%
	ステ ー ジ 3	50～60ml/min/ 1.73m ² 未満	652	593	727	669	700	676	554	30～ 60ml/min/ 1.73ml未 満	30～ 60ml/min/ 1.73ml未 満
		(%)	13.4%	12.6%	16.4%	15.7%	17.6%	18.2%	17.7%	731	700
		40～50ml/min/ 1.73m ² 未満	131	138	167	167	154	137	145	731	700
		(%)	2.7%	2.9%	3.8%	3.9%	3.9%	3.7%	4.6%		
		30～40ml/min/ 1.73m ² 未満	29	22	29	21	24	34	25	25.8%	26.4%
		(%)	0.6%	0.5%	0.7%	0.5%	0.6%	0.9%	0.8%		
	ジス 54 テ ・ ー	30ml/min/1.73 m ² 未満	12	11	13	18	6	9	9	6	6
		(%)	0.2%	0.2%	0.3%	0.4%	0.2%	0.2%	0.3%	0.2%	0.2%
	60ml/min/1.73m ² 以上 尿蛋白＋以上		190	169	145	148	147	148	96	80	106
	(%)		3.9%	3.6%	3.3%	3.5%	3.7%	4.0%	3.1%	2.8%	4.0%
	CKD該当者		1,014	933	1,081	1,023	1,031	1,004	829	811	796
	(%)		20.9%	19.8%	24.4%	23.9%	26.0%	27.0%	26.5%	28.8%	32.2%

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

資料：石川県成人病検診管理指導協議会における課題検討結果報告

【石川県】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数		85,920	86,800	83,790	81,397	79,277	74,373	66,601	67,517	61,733	59,410
クレアチニン	検査実施者数	83,414	84,338	82,212	79,772	78,014	76,606	64,567	66,568	61,733	59,410
	(%)	97.1%	97.2%	98.1%	98.0%	98.4%	97.7%	96.9%	98.6%	100.0%	100.0%
	異常なし 男性 $\leq 1.2\text{mg/dl}$ 女性 $\leq 1.0\text{mg/dl}$	82,419	83,307	81,065	78,540	77,013	75,389	63,365	65,376	60,663	58,307
	(%)	98.8%	98.8%	98.6%	98.5%	98.7%	98.4%	98.1%	98.2%	98.3%	98.1%
	要医療 男性 $1.2\text{mg/dl} <$ 女性 $1.0\text{mg/dl} <$	995	1031	1147	1232	1001	1217	1202	1192	1,070	1,103
	(%)	1.2%	1.2%	1.4%	1.5%	1.3%	1.6%	1.9%	1.8%	1.7%	1.9%
推算糸球体濾過量	検査実施者数	80,453	80,807	78,978	79,563	75,351	74,373	64,627	63,700	58,308	56,489
	(%)	96.9%	96.4%	97.9%	97.7%	95.0%	94.8%	97.0%	94.3%	94.5%	95.1%
	ジス 21 テ ・ ー	60ml/min/1.73m ² 以上 尿蛋白ー	64,998	64,972	60,126	58,881	56,066	55,026	46,577	47,350	43,477
		(%)	80.8%	80.4%	76.1%	74.0%	74.4%	74.0%	72.1%	74.3%	74.6%
	ステ ー ジ 3	50～60ml/min/ 1.73m ² 未満	9,727	9,981	12,488	13,667	12,757	12,639	11,695	30～ 60ml/min/ 1.73ml未 満	30～ 60ml/min/ 1.73ml未 満
		(%)	12.1%	12.4%	15.8%	17.2%	16.9%	17.0%	18.1%	16,161	14,650
		40～50ml/min/ 1.73m ² 未満	2,361	2,488	3,078	3,460	3,155	3,194	3,175	16,161	14,650
		(%)	2.9%	3.1%	3.9%	4.3%	4.2%	4.3%	4.9%		
		30～40ml/min/ 1.73m ² 未満	548	547	613	744	660	661	659	25.4%	25.1%
		(%)	0.7%	0.7%	0.8%	0.9%	0.9%	0.9%	1.0%		
	ジス 54 テ ・ ー	30ml/min/1.73 m ² 未満	218	234	252	267	252	268	271	189	181
		(%)	0.3%	0.3%	0.3%	0.3%	0.3%	0.4%	0.4%	0.3%	0.3%
	60ml/min/1.73m ² 以上 尿蛋白＋以上		2,601	2,585	2,421	2,544	2,461	2,585	2,250	1,940	1,912
	(%)		3.2%	3.2%	3.1%	3.2%	3.3%	3.5%	3.5%	3.0%	3.3%
	CKD該当者		15,455	15,835	18,852	20,682	19,285	19,347	18,050	18,290	17,330
	(%)		19.2%	19.6%	23.9%	26.0%	25.6%	26.0%	27.9%	28.7%	30.7%

6) 特定健康診査 詳細項目

【七尾市】

	H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
受診者数	5,069	4,906	4,652	4,311	4,134	3,833	3,141	3,164	2,950	2,748
心電図	検査実施者数	4,968	4,791	4,555	4,169	3,964	3,713	3,049	3,036	2,859
	(%)	98.0%	97.7%	97.9%	96.7%	95.9%	96.9%	97.1%	96.0%	96.9%
	所見なし	3,397	3,378	3,285	3,035	2,894	2,739	2,286	2,322	2,128
	(%)	68.4%	70.5%	72.1%	72.8%	73.0%	73.8%	75.0%	76.5%	74.4%
	所見あり	1,571	1,413	1,270	1,134	1,070	974	763	714	731
	(%)	31.6%	29.5%	27.9%	27.2%	27.0%	26.2%	25.0%	23.5%	25.6%
貧血判定（ヘモグロビン値）	検査実施者数	5,029	4,821	4,574	4,169	3,965	3,719	3,051	3,040	2,860
	(%)	99.2%	98.3%	98.3%	96.7%	95.9%	97.0%	97.1%	96.1%	96.9%
	異常なし 男性:13≦ 女性:12	4,302	4,224	4,026	3,728	3,520	3,314	2,717	2,746	2,560
	(%)	85.5%	87.6%	88.0%	89.4%	88.8%	89.1%	89.1%	90.3%	89.5%
	保健指導判定 男性:12以上13未満 女性:11以上12未満	565	467	434	325	355	328	261	225	228
	(%)	11.2%	9.7%	9.5%	7.8%	9.0%	8.8%	8.6%	7.4%	8.0%
受診勧奨判定 男性:<12 女性:<11	検査実施者数	162	130	114	116	90	77	73	69	71
	(%)	3.2%	2.7%	2.5%	2.8%	2.3%	2.1%	2.4%	2.3%	2.6%
	検査実施者数	92	73	81	72	656	555	617	647	617
	(%)	1.8%	1.5%	1.7%	1.7%	15.9%	14.5%	19.6%	20.4%	20.9%
	異常なし	88	71	80	72	643	532	604	622	611
	(%)	95.7%	97.3%	98.8%	100.0%	98.0%	95.9%	97.9%	96.1%	99.0%
眼底検査	要指導	2	1	0	0	0	1	2	4	0
	(%)	3.2%	1.4%	0.0%	0.0%	0.0%	0.2%	0.3%	0.6%	0.0%
	要医療	2	1	1	0	13	22	11	21	2
	(%)	2.2%	1.4%	1.2%	0.0%	2.0%	4.0%	1.8%	3.2%	0.3%

8) 特定保健指導(積極的支援)の評価

【七尾市】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価時期		6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後
評価実施者数		64	65	62	52	30	43	50	46	21	8
体重減少	5%Kg以上減少	4	5	13	7	3	3	2	2	0	2
	(%)	6.3%	7.7%	21.0%	13.5%	10.0%	7.0%	4.0%	4.3%	0.0%	25.0%
	5%Kg以上の減少なし	60	60	49	44	27	40	48	44	21	6
	(%)	93.8%	92.3%	79.0%	84.6%	90.0%	93.0%	96.0%	95.7%	100.0%	75.0%
	測定なし	0	0	0	1	0	0	0	0	0	0
	(%)	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
腹囲減少	3cm以上減少	9	13	13	13	3	5	7	2	0	2
	(%)	14.1%	20.0%	21.0%	25.0%	10.0%	11.6%	14.0%	4.3%	0.0%	25.0%
	3cm以上の減少なし	55	52	49	38	27	38	43	44	21	6
	(%)	85.9%	80.0%	79.0%	73.1%	90.0%	88.4%	86.0%	95.7%	100.0%	75.0%
	測定なし	0	0	0	1	0	0	0	0	0	0
	(%)	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
栄養・食生活	変化なし	32	32	27	24	13	20	29	28	17	3
	(%)	50.0%	49.2%	43.5%	46.2%	43.3%	46.5%	58.0%	60.9%	81.0%	37.5%
	改善	26	31	35	24	17	21	21	18	4	5
	(%)	40.6%	47.7%	56.5%	46.2%	56.7%	48.8%	42.0%	39.1%	19.0%	62.5%
	悪化	1	2	0	3	0	2	0	0	0	0
	(%)	1.6%	3.1%	0.0%	5.8%	0.0%	4.7%	0.0%	0.0%	0.0%	0.0%
身体活動	変化なし	45	51	51	40	28	32	41	34	19	4
	(%)	70.3%	78.5%	82.3%	76.9%	93.3%	74.4%	82.0%	73.9%	90.5%	50.0%
	改善	10	13	11	9	2	11	9	11	2	4
	(%)	15.6%	20.0%	17.7%	17.3%	6.7%	25.6%	18.0%	23.9%	9.5%	50.0%
	悪化	4	1	0	2	0	0	0	1	0	0
	(%)	6.3%	1.5%	0.0%	3.8%	0.0%	0.0%	0.0%	2.2%	0.0%	0.0%
喫煙	禁煙継続	1	3								
	(%)	1.6%	4.6%								
	非継続	0	3								
	(%)	0.0%	4.6%								
	非喫煙	0	0								
	(%)	0.0%	0.0%								
	禁煙の意思なし	1	8								
	(%)	1.6%	12.3%								

資料：石川県成人病検診管理指導協議会における課題検討結果報告

		H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価時期		6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後
健診時は喫煙の者	評価実施者数	4	10	9	4	4	2	2	3
	禁煙継続	0	3	2	1	1	0	0	0
	(%)	0.0%	30.0%	22.2%	25.0%	25.0%	0.0%	0.0%	0.0%
	非継続	0	0	1	1	1	0	0	0
	(%)	0.0%	0.0%	11.1%	25.0%	25.0%	0.0%	0.0%	0.0%
	禁煙の意思なし	4	7	6	2	2	2	2	3
	(%)	100.0%	70.0%	66.7%	50.0%	50.0%	100.0%	100.0%	100.0%
	健診時は非喫煙の者	6	4	4	1	1	0	0	2
	非喫煙	4	4	4	1	1	0	0	1
	(%)	66.7%	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%	0.0%
喫煙	非継続	0	0	0	0	0	0	0	0
	(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	禁煙の意思なし	2	0	0	0	0	0	0	1
	(%)	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

8) 特定保健指導(積極的支援)の評価

【石川県】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価時期		6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後
評価実施者数		693	579	628	526	451	498	398	388	376	301
体重減少	5%Kg以上減少	94	70	80	78	37	47	47	37	42	32
	(%)	13.6%	12.1%	12.7%	14.8%	8.2%	9.4%	11.8%	9.5%	11.2%	10.6%
	5%Kg以上の減少なし	574	498	543	431	414	451	350	351	334	267
	(%)	82.8%	86.0%	86.5%	81.9%	91.8%	90.6%	87.9%	90.5%	88.8%	88.7%
	測定なし	25	11	5	17	0	0	1	0	0	0
	(%)	3.6%	1.9%	0.8%	3.2%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%
腹囲減少	3cm以上減少	135	101	115	108	64	82	75	53	73	59
	(%)	19.5%	17.4%	18.3%	20.5%	14.2%	16.5%	18.8%	13.7%	19.4%	19.6%
	3cm以上の減少なし	531	431	459	403	387	416	323	335	303	242
	(%)	76.6%	74.4%	73.1%	76.6%	85.8%	83.5%	81.2%	86.3%	80.6%	80.4%
	測定なし	27	47	54	17	0	0	0	0	0	0
	(%)	3.9%	8.1%	8.6%	3.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
栄養・食生活	変化なし	319	231	271	263	236	253	169	191	186	130
	(%)	46.0%	39.9%	43.2%	50.0%	52.3%	50.8%	42.5%	49.2%	49.5%	42.8%
	改善	241	335	342	236	207	229	216	189	185	168
	(%)	34.8%	57.9%	54.5%	44.9%	45.9%	46.0%	54.3%	48.7%	49.2%	55.3%
	悪化	11	26	15	13	8	16	13	8	5	3
	(%)	1.6%	4.5%	2.4%	2.5%	1.8%	3.2%	3.3%	2.1%	1.3%	1.0%
身体活動	変化なし	290	365	409	352	324	321	259	245	228	166
	(%)	41.8%	63.0%	65.1%	66.9%	71.8%	64.5%	65.1%	63.1%	60.6%	54.6%
	改善	269	201	197	148	116	149	133	129	137	128
	(%)	38.8%	34.7%	31.4%	28.1%	25.7%	29.9%	33.4%	33.2%	36.4%	42.1%
	悪化	12	12	22	12	11	28	6	14	11	7
	(%)	1.7%	2.1%	3.5%	2.3%	2.4%	5.6%	1.5%	3.6%	2.9%	2.3%
喫煙	禁煙継続	38	60								
	(%)	5.5%	10.4%								
	非継続	17	12								
	(%)	2.5%	2.1%								
	非喫煙	316	196								
	(%)	45.6%	33.9%								
	禁煙の意思なし	50	81								
	(%)	7.2%	14.0%								

資料: 石川県成人病検診管理指導協議会における課題検討結果報告

		H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度	
評価時期		6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	
喫煙	健診時は喫煙の者	評価実施者数	176	100	100	124	124	81	97	94
		禁煙継続	27	22	19	18	18	21	22	13
		(%)	15.3%	22.0%	19.0%	14.5%	14.5%	25.9%	22.7%	13.8%
		非継続	34	9	10	23	23	7	2	8
		(%)	19.3%	9.0%	10.0%	18.5%	18.5%	8.6%	2.1%	8.5%
		禁煙の意思なし	115	69	71	83	83	53	73	73
		(%)	65.3%	69.0%	71.0%	66.9%	66.9%	65.4%	75.3%	77.7%
		健診時は非喫煙の者	評価実施者数	217	124	134	144	144	111	133
	非喫煙		211	121	130	129	129	110	131	103
	(%)		97.2%	97.6%	97.0%	89.6%	89.6%	99.1%	98.5%	96.3%
	非継続		3	1	4	13	13	1	2	1
	(%)		1.4%	0.8%	3.0%	9.0%	9.0%	0.9%	1.5%	0.9%
	禁煙の意思なし		3	2	0	2	2	0	0	3
	(%)		1.4%	1.6%	0.0%	1.4%	1.4%	0.0%	0.0%	2.8%

9)特定保健指導(動機付け支援)の評価

資料: 石川県成人病検診管理指導協議会における課題検討結果報告

【七尾市】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価時期		6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後
評価実施者数		313	278	275	318	162	135	188	131	32	24
体重減少	5%Kg以上減少	19	18	17	14	5	6	5	5	2	0
	(%)	6.1%	6.5%	6.2%	4.4%	3.1%	4.4%	2.7%	3.8%	6.3%	0.0%
	5%Kg以上の減少なし	270	259	258	245	151	129	183	126	30	24
	(%)	86.3%	93.2%	93.8%	77.0%	93.2%	95.6%	97.3%	96.2%	93.8%	100.0%
	測定なし	24	1	0	59	6	0	0	0	0	0
	(%)	7.7%	0.4%	0.0%	18.6%	3.7%	0.0%	0.0%	0.0%	0.0%	0.0%
腹囲減少	3cm以上減少	18	24	22	16	7	13	14	8	1	0
	(%)	5.8%	8.6%	8.0%	5.0%	4.3%	9.6%	7.4%	6.1%	3.2%	0.0%
	3cm以上の減少なし	270	253	253	243	148	122	174	123	30	24
	(%)	86.3%	91.0%	92.0%	76.4%	91.4%	90.4%	92.6%	93.9%	96.8%	100.0%
	測定なし	24	1	0	59	7	0	0	0	0	0
	(%)	7.7%	0.4%	0.0%	18.6%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%
栄養・食生活	変化なし	182	199	187	156	120	95	124	88	22	20
	(%)	58.1%	71.6%	68.0%	49.1%	74.1%	70.4%	66.0%	67.2%	68.8%	83.3%
	改善	92	75	83	93	40	38	62	41	9	4
	(%)	29.4%	27.0%	30.2%	29.2%	24.7%	28.1%	33.0%	31.3%	28.1%	16.7%
	悪化	7	4	5	9	2	2	2	2	1	1
	(%)	2.2%	1.4%	1.8%	2.8%	1.2%	1.5%	1.1%	1.5%	3.1%	4.2%
身体活動	変化なし	210	235	236	211	137	122	153	110	29	20
	(%)	67.1%	84.5%	85.8%	66.4%	84.6%	90.4%	81.4%	84.0%	90.6%	83.3%
	改善	62	38	34	40	21	9	34	19	3	5
	(%)	19.8%	13.7%	12.4%	12.6%	13.0%	6.7%	18.1%	14.5%	9.4%	20.8%
	悪化	9	5	5	7	4	4	1	2	0	0
	(%)	2.9%	1.8%	1.8%	2.2%	2.5%	3.0%	0.5%	1.5%	0.0%	0.0%
喫煙	禁煙継続	0	4								
	(%)	0.0%	1.4%								
	非継続	13	1								
	(%)	4.2%	0.4%								
	非喫煙	160	8								
	(%)	51.1%	2.9%								
	禁煙の意思なし	13	10								
	(%)	4.2%	3.6%								

* 保険者が社会保険診療報酬支払い基金を通じて国へ提出する報告書に基づく結果より

		H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度	
評価時期		6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	
喫煙	健診時は喫煙の者	評価実施者数	13	16	10	6	6	1	2	3
		禁煙継続	1	5	1	1	1	0	1	0
		(%)	7.7%	31.3%	10.0%	16.7%	16.7%	0.0%	50.0%	0.0%
		非継続	1	0	0	0	0	0	0	0
		(%)	7.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
		禁煙の意思なし	11	11	9	5	5	1	1	3
		(%)	84.6%	68.8%	90.0%	83.3%	83.3%	100.0%	50.0%	100.0%
	健診時は非喫煙の者	評価実施者数	16	29	34	12	12	0	8	11
		非喫煙	15	29	34	12	12	0	8	10
		(%)	93.8%	100.0%	100.0%	100.0%	100.0%	0.0%	0.0%	90.9%
		非継続	0	0	0	0	0	0	0	1
		(%)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.1%
		禁煙の意思なし	1	0	0	0	0	0	0	0
		(%)	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

9)特定保健指導(動機付け支援)の評価

【石川県】

		H26年度	H27年度	H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度
評価時期		6ヵ月後	6ヵ月後	6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後
評価実施者数		3,680	3,604	3,542	3,618	3,413	3,087	2,400	2,438	2,203	1,998
体重減少	5%Kg以上減少	271	290	236	188	209	168	134	153	135	108
	(%)	7.4%	8.0%	6.7%	5.2%	6.1%	5.4%	5.6%	6.3%	6.1%	5.4%
	5%Kg以上の減少なし	2,782	2,939	2,783	2,523	3,193	2,910	2,264	2,285	2,068	1,890
	(%)	75.6%	81.5%	78.6%	69.7%	93.6%	94.3%	94.3%	93.7%	93.9%	94.6%
	測定なし	627	375	523	907	11	9	2	0	0	0
	(%)	17.0%	10.4%	14.8%	25.1%	0.3%	0.3%	0.1%	0.0%	0.0%	0.0%
腹囲減少	3cm以上減少	492	511	485	333	446	372	349	319	285	254
	(%)	13.4%	14.2%	13.7%	9.2%	13.1%	12.1%	14.5%	13.1%	12.9%	12.7%
	3cm以上の減少なし	2,507	2,706	2,519	2,371	2,955	2,710	2,050	2,119	1,917	1,744
	(%)	68.1%	75.1%	71.1%	65.5%	86.6%	87.8%	85.4%	86.9%	87.1%	87.3%
	測定なし	680	387	538	914	12	5	1	0	0	0
	(%)	18.5%	10.7%	15.2%	25.3%	0.4%	0.2%	0.0%	0.0%	0.0%	0.0%
栄養・食生活	変化なし	2,231	1,920	1,954	1,755	1,871	1,739	1,390	1,360	1,227	1,089
	(%)	60.6%	53.3%	55.2%	48.5%	54.8%	56.3%	57.9%	55.8%	55.7%	54.5%
	改善	1,120	1,553	1,406	1,218	1,472	1,271	972	1,028	944	864
	(%)	30.4%	43.1%	39.7%	33.7%	43.1%	41.2%	40.5%	42.2%	42.9%	43.2%
	悪化	58	80	169	70	57	77	38	50	32	57
	(%)	1.6%	2.2%	4.8%	1.9%	1.7%	2.5%	1.6%	2.1%	1.5%	2.9%
身体活動	変化なし	1,415	2,343	2,390	2,058	2,197	1,992	1,504	1,585	1,384	1,246
	(%)	38.5%	65.0%	67.5%	56.9%	64.4%	64.5%	62.7%	65.0%	62.8%	62.4%
	改善	1,914	1,093	997	893	1,107	923	805	749	760	673
	(%)	52.0%	30.3%	28.1%	24.7%	32.4%	29.9%	33.5%	30.7%	34.5%	33.7%
	悪化	79	117	142	92	96	172	91	104	59	91
	(%)	2.1%	3.2%	4.0%	2.5%	2.8%	5.6%	3.8%	4.3%	2.7%	4.6%
喫煙	禁煙継続	142	145								
	(%)	3.9%	4.0%								
	非継続	45	46								
	(%)	1.2%	1.3%								
	非喫煙	2284	1236								
	(%)	62.1%	34.3%								
	禁煙の意思なし	161	134								
	(%)	4.4%	3.7%								

資料：石川県成人病検診管理指導協議会における課題検討結果報告

		H28年度	H29年度	H30年度	R1年度	R2年度	R3年度	R4年度	R5年度	
評価時期		6ヵ月後	6ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	3ヵ月後	
喫煙	健診時は喫煙の者	評価実施者数	183	148	182	185	185	133	106	112
		禁煙継続	36	29	33	41	41	31	31	30
		(%)	19.7%	19.6%	18.1%	22.2%	22.2%	23.3%	29.2%	26.8%
		非継続	15	17	20	29	29	15	6	7
		(%)	8.2%	11.5%	11.0%	15.7%	15.7%	11.3%	5.7%	6.3%
		禁煙の意思なし	132	102	129	115	115	87	69	75
		(%)	72.1%	68.9%	70.9%	62.2%	62.2%	65.4%	65.1%	67.0%
	健診時は非喫煙の者	評価実施者数	1,294	1,135	1,265	1,319	1,319	1,021	903	810
		非喫煙	1,272	1,119	1,240	1,247	1,247	1,006	878	787
		(%)	98.3%	98.6%	98.0%	94.5%	94.5%	98.5%	97.2%	97.2%
		非継続	6	10	11	61	61	6	17	6
		(%)	0.5%	0.9%	0.9%	4.6%	4.6%	0.6%	1.9%	0.7%
		禁煙の意思なし	16	6	14	11	11	9	8	17
		(%)	1.2%	0.5%	1.1%	0.8%	0.8%	0.9%	0.9%	2.1%