

24-1

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-32	120043.401			-21361.368						
24-3	120058.256	-14.855	-14.855	-21344.022	-17.346	-17.346	49-25-24	22.838	257.6748	257.6748
24-4	120059.776	-1.520	-31.230	-21345.326	1.304	-33.388	319-22-26	2.003	50.7497	-40.7239
24-5	120073.206	-13.430	-46.180	-21329.659	-15.667	-47.751	49-23-47	20.635	641.2959	723.5020
24-33	120063.535	9.671	-49.939	-21318.112	-11.547	-74.965	129-56-50	15.062	-724.9865	576.6456
24-47	120057.193	6.342	-33.926	-21327.952	9.840	-76.672	237-11-52	11.707	-486.2538	-333.8318
24-46	120048.409	8.784	-18.800	-21323.215	-4.737	-71.569	151-39-47	9.980	-628.6620	89.0556
24-45	120047.569	0.840	-9.176	-21324.733	1.518	-74.788	241-02-30	1.735	-62.8219	-13.9291
24-35	120041.579	5.990	-2.346	-21320.994	-3.739	-77.009	148-01-38	7.061	-461.2839	8.7716
24-36	120029.925	11.654	15.298	-21349.827	28.833	-51.915	247-59-31	31.099	-605.0174	441.0872
24-32	120043.401	-13.476	13.476	-21361.368	11.541	-11.541	319-25-22	17.743	155.5265	155.5265
		43.281			53.036				1105.2470	2252.2635
		0.000			-53.036				-2969.0256	-388.4849
									1863.7786	1863.7786
							MENSEKI	=	931.88	

24-2

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-33	120063.535			-21318.112						
24-34	120056.080	7.455	7.455	-21309.169	-8.943	-8.943	129-48-54	11.643	-66.6700	-66.6700
24-46	120048.409	7.671	22.581	-21323.215	14.046	-3.840	241-21-34	16.004	-29.4566	317.1727
24-47	120057.193	-8.784	21.468	-21327.952	4.737	14.943	331-39-47	9.980	-131.2593	101.6939
24-33	120063.535	-6.342	6.342	-21318.112	-9.840	9.840	57-11-52	11.707	-62.4052	-62.4052
		15.126			18.783				0.0000	418.8666
		0.000			-18.783				-289.7912	-129.0753
									289.7912	289.7912
							MENSEKI	=	144.89	

24-3

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-34	120056.080			-21309.169						
24-6	120049.503	6.577	6.577	-21301.369	-7.800	-7.800	130-08-16	10.203	-51.3006	-51.3006
24-35	120041.579	7.924	21.078	-21320.994	19.625	4.025	248-00-45	21.164	31.8941	413.6557
24-45	120047.569	-5.990	23.012	-21324.733	3.739	27.389	328-01-38	7.061	-164.0601	86.0418
24-46	120048.409	-0.840	16.182	-21323.215	-1.518	29.610	61-02-30	1.735	-24.8724	-24.5642
24-34	120056.080	-7.671	7.671	-21309.169	-14.046	14.046	61-21-34	16.004	-107.7468	-107.7468
		14.501			23.364				31.8941	499.6976
		0.000			-23.364				-347.9799	-183.6117
									316.0858	316.0858
							MENSEKI	=	158.04	

24-4

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-31	120026.383			-21381.258						
24-32	120043.401	-17.018	-17.018	-21361.368	-19.890	-19.890	49-26-58	26.177	338.4880	338.4880
24-36	120029.925	13.476	-20.560	-21349.827	-11.541	-51.321	139-25-22	17.743	-691.6017	237.2829
24-7	120028.073	1.852	-5.232	-21354.410	4.583	-58.279	247-59-47	4.943	-107.9327	-23.9782
24-8	120027.873	0.200	-3.180	-21354.899	0.489	-53.207	247-45-20	0.528	-10.6414	-1.5550
24-9	120026.551	1.322	-1.658	-21357.851	2.952	-49.766	245-52-32	3.234	-65.7906	-4.8944
24-10	120024.919	1.632	1.296	-21360.716	2.865	-43.949	240-19-58	3.297	-71.7247	3.7130
24-11	120022.962	1.957	4.885	-21363.372	2.656	-38.428	233-36-59	3.299	-75.2035	12.9745
24-12	120020.742	2.220	9.062	-21365.817	2.445	-33.327	227-45-41	3.302	-73.9859	22.1565
24-13	120018.310	2.432	13.714	-21368.048	2.231	-28.651	222-31-54	3.300	-69.6792	30.5959
24-14	120015.718	2.592	18.738	-21369.959	1.911	-24.509	216-24-01	3.220	-63.5273	35.8083
24-37	120014.278	1.440	22.770	-21370.895	0.936	-21.662	213-01-26	1.717	-31.1932	21.3127
24-31	120026.383	-12.105	12.105	-21381.258	10.363	-10.363	319-25-60	15.935	125.4441	125.4441

29.123

31.431

463.9321

827.7762

0.000

-31.431

-1261.2807

-30.4276

797.3485

797.3485

MENSEKI =

398.67

24-5

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-2	119989.257			-21424.623						
24-31	120026.383	-37.126	-37.126	-21381.258	-43.365	-43.365	49-25-56	57.086	1609.9689	1609.9689
24-37	120014.278	12.105	-62.147	-21370.895	-10.363	-97.093	139-25-60	15.935	-1175.3107	644.0293
24-38	119964.165	50.113	0.071	-21403.158	32.263	-75.193	212-46-25	59.600	-3768.1468	2.2906
24-2	119989.257	-25.092	25.092	-21424.623	21.465	-21.465	319-27-17	33.021	538.5997	538.5997

62.218

53.728

2148.5687

2794.8888

0.000

-53.728

-4943.4575

0.0000

2794.8888

2794.8888

MENSEKI =

1397.44

24-6

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-2	119989.257			-21424.623						
24-38	119964.165	25.092	25.092	-21403.158	-21.465	-21.465	139-27-17	33.021	-538.5997	-538.5997
24-15	119922.757	41.408	91.592	-21429.811	26.653	-16.277	212-46-05	49.244	-673.9980	2441.2015
24-16	119922.689	0.068	133.068	-21429.856	0.045	10.421	213-29-43	0.082	0.7086	5.9880
24-39	119921.290	1.399	134.535	-21430.903	1.047	11.513	216-48-39	1.747	16.1066	140.8581
24-44	119958.778	-37.488	98.446	-21438.364	7.461	20.021	348-44-38	38.223	-750.5472	734.5056
24-42	119983.360	-24.582	36.376	-21443.258	4.894	32.376	348-44-25	25.064	-795.8668	178.0241
24-43	119985.568	-2.208	9.586	-21430.945	-12.313	24.957	79-50-01	12.509	-55.1050	-118.0324
24-30	119988.651	-3.083	4.295	-21428.915	-2.030	10.614	33-21-46	3.691	-32.7229	-8.7188
24-2	119989.257	-0.606	0.606	-21424.623	-4.292	4.292	81-57-48	4.335	-2.6009	-2.6009
		67.967			40.100				16.8153	3500.5775
		0.000			-40.100				-2849.4408	-667.9520
									2832.6255	2832.6255
							MENSEKI	=	1416.31	

24-7

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-40	119954.013			-21462.380						
24-44	119958.778	-4.765	-4.765	-21438.364	-24.016	-24.016	78-46-40	24.484	114.4362	114.4362
24-39	119921.290	37.488	27.958	-21430.903	-7.461	-55.493	168-44-38	38.223	-2080.3215	-208.5946
24-17	119920.061	1.229	66.675	-21432.008	1.105	-61.849	221-57-32	1.653	-76.0124	73.6758
24-18	119918.982	1.079	68.983	-21433.266	1.258	-59.486	229-22-48	1.657	-64.1853	86.7806
24-19	119918.050	0.932	70.994	-21434.640	1.374	-56.854	235-51-02	1.660	-52.9879	97.5457
24-20	119917.299	0.751	72.677	-21436.119	1.479	-54.001	243-04-47	1.659	-40.5547	107.4892
24-21	119916.688	0.611	74.039	-21437.664	1.545	-50.977	248-25-22	1.661	-31.1469	114.3902
24-22	119916.201	0.487	75.137	-21439.343	1.679	-47.753	253-49-30	1.748	-23.2557	126.1550
24-23	119913.026	3.175	78.799	-21454.231	14.888	-31.186	257-57-41	15.223	-99.0155	1173.1595
24-40	119954.013	-40.987	40.987	-21462.380	8.149	-8.149	348-45-18	41.789	334.0030	334.0030
		45.752			31.477				448.4393	2227.6356
		0.000			-31.477				-2467.4802	-208.5946
									2019.0409	2019.0409
							MENSEKI	=	1009.52	

24-8

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-40	119954.013			-21462.380						
24-24	119959.701	-5.688	-5.688	-21463.504	1.124	1.124	348-49-19	5.798	-6.3933	-6.3933
24-25	119961.858	-2.157	-13.533	-21463.939	0.435	2.683	348-35-53	2.200	-5.7872	-5.8868
24-26	119967.814	-5.956	-21.646	-21465.247	1.308	4.426	347-36-50	6.098	-26.3612	-28.3129
24-27	119973.761	-5.947	-33.549	-21466.689	1.442	7.176	346-22-13	6.119	-42.6756	-48.3776
24-41	119978.078	-4.317	-43.813	-21467.813	1.124	9.742	345-24-22	4.461	-42.0562	-49.2458
24-28	119978.843	-0.765	-48.895	-21467.941	0.128	10.994	350-30-04	0.776	-8.4104	-6.2585
24-42	119983.360	-4.517	-54.177	-21443.258	-24.683	-13.561	79-37-47	25.093	61.2550	1337.2508
24-44	119958.778	24.582	-34.112	-21438.364	-4.894	-43.138	168-44-25	25.064	-1060.4183	166.9441
24-40	119954.013	4.765	-4.765	-21462.380	24.016	-24.016	258-46-40	24.484	-114.4362	-114.4362
		29.347			29.577				61.2550	1504.1950
		0.000			-29.577				-1306.5386	-258.9114
									1245.2836	1245.2836
							MENSEKI	=	622.64	

24-40

MENSEKI KEISAN

NO 1

NAME	X	DX	DMD.1	Y	DY	DMD.2	ALHA	DIST	DX * DMD.2	DY * DMD.1
24-48	119978.872			-21467.846						
24-29	119981.517	-2.645	-2.645	-21466.570	-1.276	-1.276	25-45-13	2.937	3.3750	3.3750
24-30	119988.651	-7.134	-12.424	-21428.915	-37.655	-40.207	79-16-19	38.325	286.8367	467.8257
24-43	119985.568	3.083	-16.475	-21430.945	2.030	-75.832	213-21-46	3.691	-233.7900	-33.4442
24-48	119978.872	6.696	-6.696	-21467.846	36.901	-36.901	259-42-54	37.504	-247.0890	-247.0890
		9.779			38.931				290.2117	471.2007
		0.000			-38.931				-480.8791	-280.5333
									190.6673	190.6673
							MENSEKI	=	95.33	